

# Kitemark™ Certificate

This is to certify that:

King-Cord Co., Ltd. (Shenzhen)  
1F,3F and North West of 2F, No. B2  
The West Industry Park of Tantou  
Songgang Town, Baoan District  
Shenzhen  
Guangdong  
518105  
China

Holds Certificate Number:

KM 41231

In respect of:

**BS 1363 Parts 1-5  
Plugs, Socket-outlets, Adaptors and Fused Connection units.**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 1999-02-25

Latest Issue: 2022-09-14

Effective Date: 2022-09-14

Expiry Date: 2025-05-28

Page: 1 of 6



# Kitemark™ Certificate

No. KM 41231

The affixing of the Kitemark and the words 'Approved by BSI Lic No KM 41231' signify that the 13 A plugs detailed within this Kitemark Licence are approved by BSI within the meaning of the Statutory Instrument No 1768 1994 being the 'The Plug and Socket etc. (Safety) Regulations 1994'.

Approval remains in force concurrent with the expiration date of this Kitemark licence.

It is a condition of approval that the Licensee maintains strict compliance with the requirements of both the Plug and Socket etc. (Safety) Regulations 1994 and the Kitemark Licence Conditions of Contract

-----//-----

## Group 1 - Non-rewireable 13 A Plugs to BS 1363-1:2016 + A1:2018

Type	Rating	Colour	Test Report Number
KC-036	250 V Rough use	Black, Grey or Clear	241/000076, 241/000286, 241/005135, 241/4092962, 241/4162116, 241/4172825, 241/4222210, 241/4261383, 241/4349941, 8250995 and 8586712.

The plug type KC-036 incorporates the GEM terminal plug bridge P/N M98051A-1

## Cord Fitted

The following cord is satisfactory for incorporation with the variants of Group 1 and is subject to the continuing validity of its approval.

Standard	Size (mm <sup>2</sup> )	Code	Manufacturer	Approval	Rating
EN 50525-2-11	2 x 0.75	H03VWH2-F	I-Sheng	VDE 40006070	6 A
EN 50525-2-11	2 x 0.75	H05VWH2-F	I-Sheng	VDE 40006070	6 A
EN 50525-2-11	3 x 0.75	H05VV-F	I-Sheng	VDE 40006070	6 A
EN 50525-2-11	2 x 0.75	H05VV-F	I-Sheng	VDE 40006070	6 A
EN 50525-2-11	3 x 1	H05VV-F	I-Sheng	VDE 40006070	10 A
EN 50525-2-11	3 x 1.5	H05VV-F	I-Sheng	VDE 40006070	13 A
EN 50525-2-11	2 x 0.75	H03VV-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	3 x 0.75	H03VV-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	2 x 0.75	H05VV-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	3 x 0.75	H05VV-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	3 x 1	H05VV-F	Shenzhen Baohing	VDE 103727	10 A
EN 50525-2-11	2 x 0.75	H03VWH2-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	2 x 0.75	H05VWH2-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	3 x 1.5	H05VV-F	Shenzhen Baohing	VDE 103727	13 A

First Issued: 1999-02-25

Latest Issue: 2022-09-14

Effective Date: 2022-09-14

Expiry Date: 2025-05-28

Page: 2 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 41231

## Group 1 - Continued

### Cord Fitted

The following cord is satisfactory for incorporation with the variants of Group 1 and is subject to the continuing validity of its approval.

Standard	Size (mm <sup>2</sup> )	Code	Manufacturer	Approval	Rating
EN 50525-2-11	2 x 0.75	H03VVH2-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	2 x 0.75	H05VVH2-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	3 x 0.75	H05VV-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	2 x 0.75	H05VV-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	3 x 1	H05VV-F	KING-CORD	VDE 40042910	10 A
EN 50525-2-11	3 x 1.5	H05VV-F	KING-CORD	VDE 40042910	13 A
EN 50525-2-11	2 x 0.75	H03VV-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	3 x 0.75	H03VV-F	KING-CORD	VDE 40042910	6 A

First Issued: 1999-02-25  
Latest Issue: 2022-09-14

Effective Date: 2022-09-14  
Expiry Date: 2025-05-28

Page: 3 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 41231

## Group 2 - Non-rewireable 13 A Plugs to BS 1363-1:2016 + A1:2018

Type	Rating	Colour	Test Report Number
KC-039	250V Rough use	Black, Grey or Clear	241/4785592, 7855676, 7984124 & 8250995, 8586712 and 3055464.

The plug type KC-039 incorporates the GEM terminal plug bridge P/N M87053 or Taller terminal plug bridge P/N B10.062-B

### Cord Fitted

The following cord is satisfactory for incorporation with the variants of Group 2 and is subject to the continuing validity of its approval.

Standard	Size (mm <sup>2</sup> )	Code	Manufacturer	Approval	Rating
EN 50525-2-11	3 x 1	H05VV-F	I-Sheng	VDE 40006070	10 A
EN 50525-2-11	3 x 0.75	H05VV-F	I-Sheng	VDE 40006070	6 A
EN 50525-2-11	2 x 0.75	H03VV-F	I-Sheng	VDE 40006070	6 A
EN 50525-2-11	2 x 0.75	H05VVH2-F	I-Sheng	VDE 40006070	6 A
EN 50525-2-11	3 x 0.75	H03VV-F	I-Sheng	VDE 40006070	6 A
EN 50525-2-11	2 x 0.75	H03VVH2-F	I-Sheng	VDE 40006070	6 A
EN 50525-2-11	2 x 0.75	H05VV-F	I-Sheng	VDE 40006070	6 A
EN 50525-2-11	3 x 1	H05VV-F	Shenzhen Baohing	VDE 103727	10 A
EN 50525-2-11	3 x 0.75	H05VV-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	2 x 0.75	H03VV-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	2 x 0.75	H05VVH2-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	3 x 0.75	H03VV-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	2 x 0.75	H03VVH2-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-11	2 x 0.75	H05VV-F	Shenzhen Baohing	VDE 103727	6 A
EN 50525-2-21	3 x 1	H05RR-F	I-Sheng	VDE 40014085	10 A
EN 50525-2-21	3 x 0.75	H05RR-F	I-Sheng	VDE 40014085	10 A* / 6 A
EN 50525-2-21	3 x 1	H05RR-F	Lucky United E	VDE 40016757	10 A
EN 50525-2-21	3 x 0.75	H05RR-F	Lucky United E	VDE 40016757	10 A* / 6 A

\*For cord lengths less than 2 metres.

First Issued: 1999-02-25

Latest Issue: 2022-09-14

Effective Date: 2022-09-14

Expiry Date: 2025-05-28

Page: 4 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 41231

## Group 2 - Continued

### Cord Fitted

The following cord is satisfactory for incorporation with the variants of Group 2 and is subject to the continuing validity of its approval.

Standard	Size (mm <sup>2</sup> )	Code	Manufacturer	Approval	Rating
EN 50525-2-11	2 x 0.75	H03VVH2-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	2 x 0.75	H05VVH2-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	3 x 0.75	H05VV-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	2 x 0.75	H05VV-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	3 x 1	H05VV-F	KING-CORD	VDE 40042910	10 A
EN 50525-2-11	2 x 0.75	H03VV-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	3 x 0.75	H03VV-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	3 x 1.5	H05VV-F	KING-CORD	VDE 40042910	13 A

First Issued: 1999-02-25

Latest Issue: 2022-09-14

Effective Date: 2022-09-14

Expiry Date: 2025-05-28

Page: 5 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 41231

## Group 3 - Non-rewireable 13 A Plugs with ISOD to BS 1363-1:2016 + A1:2018

Type	Rating	Colour	Test Report Number
KC-039A	250V Rough use	Black	8443116 and 3055464.

The plug type KC-039A incorporates the GEM terminal plug bridge P/N M87054 or Taller terminal plug bridge P/N B10.062-A

### Cord Fitted

The following cord is satisfactory for incorporation with the variants of Group 2 and is subject to the continuing validity of its approval.

Standard	Size (mm <sup>2</sup> )	Code	Manufacturer	Approval	Rating
EN 50525-2-11	2 x 0.75	H03VH2-F	I-Sheng	VDE 40006070	10 A* / 6 A
EN 50525-2-11	2 x 0.75	H03VH2-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	2 x 0.75	H05VH2-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	2 x 0.75	H05VV-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	2 x 0.75	H03VV-F	KING-CORD	VDE 40042910	6 A
EN 50525-2-11	3 x 0.75	H03VV-F	KING-CORD	VDE 40042910	6 A

\*For cord lengths less than 2 metres.

The non-rewireable plugs listed on this Kitemark Licence may be fitted with the following BS 1362 fuse links.

Manufacturer	Model number / ratings	Certification
Taller GmbH	ATLAS 3 A, 5 A, 10 A and 13 A	KM 70570 and ASTA No 767
AsiaFuse (HK) Electronics Ltd	AF63B 3 A, 5 A, 7 A, 10 A and 13 A	ASTA No 974

First Issued: 1999-02-25

Latest Issue: 2022-09-14

Effective Date: 2022-09-14

Expiry Date: 2025-05-28

Page: 6 of 6

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).